

Sign
Display
& Digital

UV Inkjet Printable Media Guide

Ball & Doggett


ballanddoggett.com.au

UV Inkjet Printable Media Guide

RIGID MEDIA

✓ Claycote B | E | E/B Flutes

Available various thickness and finish 2/sided, 1/sided, white or brown
1240 x 2450, 2450 x 1240, 2500 x 1600mm
Australian made, light weight corrugated recycled board .

✓ D Board Plus

1, 1.5, 2 and 3mm thickness
760 x 1020, 1020 x 760, 1040 x 1560, 1220 x 2440mm
Australian made, high quality multi-purpose display board.

✓ EcoFlute

3 and 5mm thickness, 1830 x 1220, 2440 x 1220mm
economical twin wall polypropylene sheet for conversion into signage, packaging, display, surface protection and a multitude of other Industrial applications.

✓ Envirocore Board

10 and 20mm thickness, 2440 x 1220mm
Australian made, expanded honeycomb core cardboard laminated between printable facing papers. Available in a white or kraft finish.

✓ Euro Foam PVC Board

2, 3 and 5mm thickness, 1220 x 2440mm
Ideal foamed PVC board made specifically to cost effectively meet the stringent requirements of the large format print imaging industry.

✓ Masterbond

0.15, 0.2mm skin, 3mm thickness 1220 x 2440mm
Available black or white and various finish options.
Premium aluminum composite panel with a hi-tech easy peel film, leaving no residue on the panel.

✓ Onyx Coloured PP Flute

3 and 5mm thickness, 2440 x 1220mm
Available yellow, black, red, blue and green.
100% Recyclable and lightweight, impact-resistant & water-resistant.

✓ Onyx Flute

3 and 5mm
600x900, 1830x1220, 2440x1220, 2450x1240
Cost effective twin wall PP sheet for multitude of applications.

✓ Onyx Recycled Flute

3 and 5mm, 1850 x 1250mm
Australian Made, 100% Recycled twin wall polypropylene sheet made from 100% post-industrial polypropylene.

✓ Onyx Smooth Board

3.3 and 5.3mm thickness, 2440 x 1220mm
Australian made, 1 sided polypropylene face stock for a multitude of applications.

✓ Onyx Solid PP Sheets

0.6, 0.8, 1, 1.5, 1.9mm thickness, 665 x 1235, 660 x 1360mm
Available clear matt or white matt.

✓ POP Foam Board

5, 10, 20mm thickness, 1220 x 2440, 1530 x 3050mm
Lightweight polystyrene foam board. Also available in black.

✓ Sharkskin Outdoor Display Board

1.2 and 2mm, 1220x2440mm
Australian made fibre based wet strength board designed for outdoor (up to 12 weeks) short term applications.

✓ **Sharkskin Wet Strength Board**

1.5 and 2mm thickness, 1220 x 2440mm

Wet strength board is the perfect solution for applications in challenging environments including moisture and humidity.

✓ **Snowboard**

3 and 5mm thickness and B or EB Flute type, 1240 x 2450mm

A 100% recyclable quality high white corrugated flute with a white centre.

✓ **Supa Claycote**

5mm, 1220x2430mm

A quality high white two sided printable corrugated flute with a brown centre and is 100% recyclable.

PAPER & BOARD

✓ **CityLight HQ200 Poster Paper**

1320mm x 50, 100M

Paper contains wet strength properties and is water resistant with high levels of whiteness, excellent transformation, transparency, stability and printability which is essential for backlit applications.

✓ **Novatech Satin Rolls**

200gsm – 1320mm x 50, 100, 200M

250gsm – 1320, 1600, 1650mm x 10M

FSC Certified, made Carbon Neutral and A2+ quality and economical coated paper.

✓ **Oxygen Blue Back Poster Paper – Rolls**

115gsm – 1600mm x 50, 100M

High quality bulk MG paper for indoor/outdoor poster and billboard applications.

✓ **Pearl 2/Sided Hi-Bulk Artboard**

400gsm – 1320, 1600mm x 100M

Hi-quality bulky artboard paper delivering excellent print, folding and creasing performance.

✓ **Store Banner Opacified Board**

260gsm – 1320, 1600mm x 100M

Excellent for hanging/poster board with highly opaque characteristics with no show through even against strong lighting.

✓ **Sumo 1/SD Display Board**

290gsm – 1240, 1600mm widths available

Economical choice for POS application where stiff characteristics are required.

SELF ADHESIVE VINYL

✓ **Avery Dennison**

All grades - commonly 1370, 1520mm x 45, 50M

Extensive range cast, polymeric and monomeric self-adhesive films to suit all method of applications.

✓ **Metamark**

All grades - commonly 1370, 1600mm x 50M

Extensive range cast, polymeric and monomeric self-adhesive films to suit all method of applications.

✓ **Mastertac**

All grades – commonly 1370, 1524mm x 50M

Economic monomeric and polymeric self-adhesive films to suit all method of applications.

REPOSITIONABLE & WINDOW

✓ **Catalina Wall Graphics**

1370mm x 45M

White matt vinyl used for internal walls where clean removability is required.

✓ **Jellyfish Solvent PET Optically Clear**

1370mm x 30, 50, 200M

Polyester optically clear film using resin technology to prevent residue after removal.

✓ **Jellyfish PP White**

1370mm x 25, 50, 100M

Thicker based polyester white film using resin technology to prevent residue after removal.

✓ **Spider Dot**

1370mm x 50M

Installation made super easy with a dot shaped removable adhesive.

✓ **Yupo Octopus Eco Solvent WKE250**

1270mm x 20M

100% bubble free and new generation suction type film - leaves no residue.

✓ **Yupo Octopus UV Inkjet WKO280 (outdoor)**

1270mm x 50M

100% bubble free and new generation suction type film - leaves no residue designed for outdoor application.

✓ **Avery Dennison MPI Dusted Glass Easy Apply RS**

1370mm x 50M

Suitable for digital and computer cutting to create a dusted effect on glass.

✓ **Mastertac One-Way Vision**

1370mm x 50, 250M

Economical grade 1.5mm hole with 40% open area for promotional window graphics.

✓ **One Way Vision - AutoVue SL & PromoVue SL**

1370, 1520mm x 50M

Dual layered film with a gloss white printable side and a clear adhesive side

WALL & FLOOR GRAPHIC

✓ **Walltex**

1370, 1520mm x 30M

100% polyester woven fabric with block out adhesive suitable for internal walls.

✓ **Avery Dennison MPI 6021 Anti-Slip Floor Marking (P3)**

1370mm x 25M

Printable and anti-slip surface for short term campaigns.

✓ **EZ Floor (R10)**

1372mm x 25M

White polyester textured film with R10 certified slip rating ideal for indoor floor graphics.

✓ **EZ Floor Outdoor (R12)**

1220mm x 25M

Print ready PVC free film with high conformability and optimised pressure sensitive adhesive. Ideal for exterior floor signage application.

✓ **Mastertac Alu-Foil Floor Graphic (R13)**

1220mm x 15M

Print direct on this textured floor laminate with an aluminium adhesive suitable for outdoors.

✓ **Metamark MD-MW MetaWalk Décor Textured Floor Graphic**

1370mm x 30M

A textured media designed for temporary, floor graphics, applied to either smooth, indoor floor surfaces in good condition, or indoor short pile carpets.

MAGNETIC

✓ **MagneGrip Ino-Mag Magnetic Film**

1370mm x 30M

Pre-magnetised media perfect for short run, on demand and personalised magnets.

✓ **MagneGrip Receptive Ferrous Synthetic**

1370mm x 50M, 1524, 1626mm x 30M

Made from iron powder, flexible and has the characteristic of flexible magnetic sheet.

✓ **MagneGrip Fridge Magnet**

1220mm x 15M

0.5mm thickness available gloss or matt finish.

✓ **MagneGrip Vehicle Magnet**

1000mm x 15M

0.9mm thickness available gloss finish.

SYNTHETIC, POSTERS

✓ **Doggett Digital Synthetic PP UV Inkjet**

1285, 1320, 1600mm x 100M

Advanced PP film for lightboxes, street furniture, bus shelters and posters.

✓ **Doggett Digital Latex PP5111**

1320, 1600mm x 50, 100M

Latex compatible PP film, suitable for posters, banners and POS applications.

✓ **JPP Outdoor PP Banner Matt**

914, 1270mm x 50M

White PP film with high opacity low density film that delivers ideal transparency for outdoor light box and back lit posters.

✓ **Rhino Blockout Film PP SO420**

240ums - 610, 914, 1270, 1524mm x 30M

PP film with a black inner core to prevent light transmission ideal for pull up banners.

✓ **Rhino Blockout Film UV BPH235**

235gsm - 1370mm x 100M

100% opaque double-sided printable PP film.

✓ **Rhino Mega PP Matt**

144gsm - 1320, 1600mm x 100M

200gsm - 1320mm x 50, 100M

100% opaque double-sided printable PP film

✓ **Rhino PP Outdoor Poster**

283gsm - 1320, 1600, 1620mm x 100M

Advanced PP film with superior stiffness and anti-static properties.

✓ **Rhino WF SO510 Solvent PP Media**

140gsm - 914mm x 30M

A robust matt PP film.

✓ **Sihl 3454 Photo Gloss Paper**

240ums - 1370mm x 30M

Bright white PE coated photo paper with excellent colour reproduction.

✓ **Sihl 3598 Roll up Film plus 205 SB Satin**

205ums - 914, 1067, 1250mm x 50M

PVC free film with tear resistant and anti-reflective satin surface

✓ **Sihl 3672 / 3673 Matt Poster Paper**

3672 - 200gsm, 1372mm x 76M

3673 - 130gsm, 1372mm x 76M, 1600mm x 110M

A multi-coated, weatherproof paper with high wet-strength property ideal for indoor/outdoor posters.

SYNTHETIC, BACKLIT

✓ **Sapphire Backlit**

SO650 Gloss 205ums - 1270mm x 30M, 1270, 1524mm x 100M

SO600 Matt 205ums - 1270, 1370mm, 1520mm x 30M

Advanced polyester film designed for light box applications.

✓ **Sapphire PET Backlit Latex TEU300**

255gsm/185ums - 1270, 1524mm x 100M, 1370, 1524mm x 50M

A thick backlit film making insert easier into the panels.

✓ **Sapphire SO800W Solvent Optically Clear**

1370mm x 30M

Optically clear polyester film for backlit application white a white acrylic backlit plate.

✓ **Sihl 3560 Backlit Film Plus 220 Satin**

1370, 1520mm x 30M

Film is used for high-contrast lightbox advertising.

✓ **Sumo Grey Back Film PVC - SOLIT420**

420gsm - 914, 1270mm x 30M, 914, 1750mm x 50M

Single sided printable curl free PVC film with a grey back to prevent light transmission.

✓ **Yupo Blockout PP Film UV XAA1085**

210gsm - 1600mm x 50M, 1270, 1370, 1600mm x 100M

100% opaque double sided printable PP film.

SYNTHETIC, CANVAS

✓ **Polycotton Premium Canvas - Satin & Matte**

1370mm x 30M

80% polyester fabric and 20% cotton fabric with excellent stretch no-cracking.

✓ **Sihl 3385 Vincent Canvas**

380gsm - 1372, 1524mm x 15M

Cotton and polyester blend with quick dry and splash proof print surface.

BANNER

✓ **Sumo PVC Free Unlined Mesh Banner SL-M02**

150gsm - 1600, 3200mm x 55M

100% PVC Free resin coated high tenacity polyester scrim without liner.

✓ **Sumo Banner Mesh with Liner**

1370, 1600, 2040mm x 50M

High strength mesh with a PVC liner.

✓ **Sumo Banner Mesh Unlined**

1600, 1830, 2040, 3200mm x 55M

High strength PVC mesh without a liner (unlined).

✓ **Sumo Black Back PVC Banner – SBW13**

1370mm x 50M

Single sided gloss with black back, great print quality and tear resistance designed for indoor or outdoor applications.

✓ **Sumo Blockout PVC Banner – NSBO18**

610gsm – 1370, 1600, 3200mm x 50M

500x500 denier opaque matt surface for both side display.

✓ **Sumo Translucent PVC Banner – SOLIT700**

540gsm - 2200mm x 30M

Scrimless and smooth without woven textured PVC banner for backlit and lightbox application.

✓ **Sumo Blockout PVC Banner – SBO20**

680gsm - 1620mm x 50M

Designed for a variety of outdoor and indoor applications for both sides display.

✓ **Sumo PVC Banner – SFF1516**

1370, 1620mm x 50M

Frontlit matt finish PVC banner complimented with exceptional print quality and outdoor durability.

✓ **Sumo PVC Laminated Banner – SFF13**

1370, 1600, 1620mm x 50M

Frontlit gloss finish PVC banner complimented with exceptional print quality and outdoor durability.

✓ **Sumo Ultra Smooth Blockout PVC Banner**

540gsm – 915, 1370mm x 30M

Scrimless double sided and smooth without woven textured PVC banner for close to medium viewing work.

✓ **Sumo PVC Free Weldable Banner SL-F06W**

350gsm - 3200mm x 50M

PVC Free and phthalate free, frontlit banner with the performance, look, and feel of traditional PVC, it is a viable substitute for all indoor and outdoor banner applications.

Sign
Display
& Digital

D Board
Plus +


Shark Skin

METAMARK
The Materials Company


MagneGrip

 Jellyfish

SUMO 

 **SAPPHIRE**

ONYX

CLAYCOTE

SIHL


YUPO®

 **RHINO**

 **AVERY
DENNISON**

Ball & Doggett



ballanddoggett.com.au

1300 713 567



Proudly Printed
In Australia

Sovereign Silk 300gsm 04/23